

# The (In)Effectiveness of Campus Smart Locks for Reducing Crime

Jacob Kaplan\*

## Abstract

Door locks are a ubiquitous form of security to control access to a building with the goal of reducing crime there. However, research on door locks is often limited by methodological issues and primarily focuses on residential or commercial locations. This paper assesses the impact of card reader door locks on school buildings on an urban university campus. Using a difference-in-differences approach, this paper estimates the effect of card reader locks on crime in buildings. The results indicate that the locks do not significantly affect crime within buildings on a university campus.

*Keywords:* CPTED, building locks, campus safety

---

\*Department of Criminology, 483 McNeil Building, University of Pennsylvania, jacobkap [at] sas.upenn.edu. For helpful comments and suggestions, thank you to John MacDonald, Aaron Chalfin, Greg Ridgeway, Salvatore D'Angelo, Sara-Laure Faraji, and Shichun Ling. All remaining errors are my own.

# 1 Introduction

Controlling access to a location as a means to reduce deviancy is an ancient practice. The gates of medieval castles, for example, ensured that only those permitted to enter may do so (Poyner 1983). In modern times, castles are no longer used, but the lessons of access control endure. Door locks are a modern replacement of the castle gate, permitting the owner to limit access to only those with keys. The use of door locks is ubiquitous and is becoming increasingly popular. Dijk, Kesteren, and Smit (2007) examined the International Crime Victimization Survey and found high rates of deadbolt lock ownership worldwide including nearly 53% of households in the United States having deadbolt locks in 2005, approximately 10 percentage points above the global average. In England and Wales, which had the highest rate of deadbolt lock ownership, 69% of households used the device. By 2018, the number of households in England or Wales with a deadbolt lock reached 83% (National Statistics 2019). While the usage of locks is widespread, evidence of their effectiveness is less thorough.

While research generally finds that locks are associated with lower crime, the cross-sectional nature of these studies limits claims of causation (Amandus et al. 1995; Casteel and Peek-Asa 2000; Faulkner, Landsittel, and Hendricks 2001; Hendricks et al. 1999). Studies typically evaluate door locks' effect on crime but count the locks at the time the crime occurred. Additionally, nearly all past research on this subject has evaluated traditional key-locks. While key-locks are still the predominant type of lock in use today, businesses and individuals are increasingly turning to technology as a security-supplement. For example, "smart locks" that open to individuals with specialized access permission (often through an identity card or key-fob) are increasingly available (Ho et al. 2016). Though smart locks provide more flexibility than traditional key locks in granting or limiting access to people - including limiting people's access to only certain hours - the effect of crime should be similar as both play the primary role of physically obstructing a person's access to a building.<sup>1</sup>

As smart locks proliferate, the Crime Prevention Through Environmental Design

(CPTED) literature has not kept pace with research on the effect of these devices on crime. While research on traditional locks offer guidance towards the effects of smart locks, there have been no published research on this specific technology’s effect on crime to date. This study addresses this gap in the CPTED literature by seeking to answer the question: Do card reader locks reduce crime on an urban university campus? To do so, this study examines monthly theft and total crime before and after card reader locks are installed in buildings with the card readers against a comparison group of similar buildings that do not have card reader locks. The card readers are locks placed on the exterior of campus building doors which are activated by swiping a student or staff school identification card. The card readers selectively permit students and staff to enter during specific times and into specific buildings - offering a more flexible approach than traditional key locks.

## 2 Previous Research

Crime Prevention Through Environmental Design (CPTED) is an approach that seeks to alter the physical environment to reduce opportunities for crime (Walsh 1999; Cozens, Saville, and Hillier 2005; Welsh and Farrington 2009; Cozens and Love 2015; Cozens, Love, and Davern 2019). By limiting the chances an offender has to commit a crime, the total number of crimes should drop. Much of CPTED incorporates minor changes in a given area, which may vary from a single building (Minnery and Lim 2005) to wide sections of a city (Branas et al. 2011). Often this is done through the implementation of technology or physical alterations.

A core tenet of CPTED is that alterations in the environment can act as subtle nudges to affect behavior. This can reduce an offender’s propensity towards criminal behavior or reduce victim vulnerability. Crowe and Zahm assert that “the elements that make a neighborhood safe are the same elements that make a ‘good’ neighborhood” (1994, 22). This “good neighborhood” is made so when opportunities for lawful behavior are maximized, and opportunities for unlawful behavior are minimized. Specifically, they suggest using “physical

design elements” (1994, 22) to control access to the home, improve community members’ ability to see who is nearby, and demarcate exactly where community land ends and private land begins. These ideas are the basis of CPTED.

To reduce crime, CPTED alters the environment to increase “territoriality, surveillance, [and] access control” (Cozens, Saville, and Hillier 2005, 330). An example of a subtle technique is a home with well-trimmed hedges which provides a view both into and out of the house. This increases the potential for passers-by on the street to observe if anyone unwelcome is in the home, and for the home resident to monitor for wrongdoers in the street (Cozens and Love 2009; Weisel 2002). Additionally, the trimmed hedges indicate that the owner takes pride in their home and would not tolerate disorderly activity in the community. A neighborhood where all homes are well-maintained signals that there is a norm of caring for the neighborhood and that each resident adheres to this norm.

Weisel’s (2002) analysis of burglaries supports this notion, as she found that single-family homes with limited ties to the neighborhood are at greatest risk of burglary. These include homes that are “vacant for extended periods” of time, have new owners, have limited visibility due to high fences, or lack of adequate security devices (2002, 8). The lengthy periods of vacancy and new ownership limit the effectiveness of natural surveillance by community members. In both cases, neighbors have limited knowledge about who are legitimate members of the community and who are strangers - in essence, who belongs and who does not. This limits their ability to accurately identify a potential offender and alert the authorities. Tall fences make it difficult for surveillance to occur even if the community knows who belongs there and may encourage offenders who wish to avoid detection. That elements of the physical environment signal a community’s concern for crime - and willingness to combat it - is a core component of the influential Broken Windows Theory.

Kelling and Wilson’s (1982) Broken Windows Theory suggests that vandalism increases in locations “that seem to signal that ‘no one cares.’” A well-ordered home signals that someone

does care, and that crime would not be tolerated there. A messier neighborhood, lacking the perceived personal pride and natural (informal) surveillance of an orderly neighborhood, would likely be an easier target for criminals. The signal that the community cares is more important than individual aspects of the environment. A well-kept outdoor area may offer minor visibility improvements compared to an unkempt one. But it can send a signal to offenders that the area's owner cares about their home - and may have made other investments (e.g. door locks, burglar alarms) that increase the offender's risk of capture. However, for Broken Windows Theory to be accurate, offenders must be able to recognize these signals and respond accordingly.

There is evidence that offenders do in fact respond to visible security measures. A qualitative study by Carmel-Gilfilen (2011) conducted a walk-through of retail stores with self-admitted shoplifters and asked them to discuss store security and their willingness to shoplift there. Among the most cited store security measures were video cameras and security tags on clothes. "Expert" shoplifters, those with either 25 lifetime shoplifts or 10 shoplifts in the past year, were more deterred by physical security measures such as cameras than were novice shoplifters. A similar study by Armitage (2018) showed 22 incarcerated "prolific burglars", defined as having committed five burglaries per month, images of 16 residential houses and asked what factors would influence their decision to burglarize that property. All of the offenders identified physical security features as important factors in their decision, in particular the lock on the front door. Some offenders discussed the quality of the lock based on what they could see and whether they believed the lock would be capable of preventing them from entering. These studies indicate that CPTED may be more effective against experienced offenders who are aware of the security and its effect on their likelihood of detection.

There is good reason to believe that securing exterior doors and windows may reduce crime. In one third of burglaries, the offender "[enters] through unlocked or open windows or doors" (Weisel 2002, 14). Budd's (1999) analysis of burglaries in the United Kingdom came

to a similar conclusion, finding that 22% of burglaries occurred through unlocked doors or windows. Securing these entrances with locks would “greatly reduce the risk of being burgled” (1999, 22). This trend continues today with an almost unchanged percent of burglaries - 23% - being committed through unlocked doors or windows in England or Wales in 2017 and 2018 (National Statistics 2019).

Physical obstructions to crime are a part of CPTED’s access control, sometimes referred to as “target hardening” (Cozens, Saville, and Hillier 2005). Physical security measures should be seen, not as an impregnable fortress, but as a deterrent for crime. The majority of burglars are “easily deterred by dogs, alarms or locks” (Weisel 2002, 16). For those clever- or determined-enough to bypass these security measures, they serve to increase the risk that the offender is caught. Target hardening measures involve both making the vulnerable location harder to enter and limiting the scope of possible offenses if entry occurs.

The primary method for preventing an offender’s entry is through the use of locks on doors or windows. Using locks is more important than just owning them. In both the United States and the United Kingdom, about one in four burglaries occurred through an unlocked door or window (Weisel 2002; Budd 1999). Research on whether lock ownership affects crime is mixed with studies showing that lock ownership can decrease (Budd 1999) and increase (Tseloni et al. 2004) risk of burglary. These analyses, however, are limited by the study design. As most studies on this this topic are cross-sectional, they were unable to assess if the security devices were acquired before or after the burglary. This is a common issue in target hardening research that will be discussed shortly.

One study that partially avoids this issue is Vollaard and van Ours’ (2011) quasi-experimental study on the effect of burglary-resistant home doors and windows on residential burglary in the Netherlands. In 1999, the Netherlands changed its building codes to require all new homes to use these more secure features. The changes to the new homes were fairly inexpensive relative to the home cost (about \$710 per home in 2019 dollars). Using

victimization data, the authors compared burglaries in homes built before and after the changes, finding that new homes had a 26% lower burglary rate. They also found that the new homes had a protective effect on their neighbors. Older homes that were near the new homes had a lower rate of burglary compared to older homes without new neighbors. This indicates that burglars respond to changes in their opportunities. A neighborhood full of unsecured homes to burgle, after all, is a better target than a neighborhood with half as many opportunities.

## 2.1 Limitations of Prior Research

The use of target hardening to reduce crime is a technique far more widely utilized than adequately studied (Casteel and Peek-Asa 2000). Casteel and Peek-Asa's review of 26 studies on this topic contains only eight studies that used a control group or used experimental or quasi-experimental designs. Three of the studies with a control group used stores that declined to participate, allowing for selection bias. In fifteen of the reviewed studies, the research was "generated for an agency" and not subject to peer review; three studies were published in non-peer review journals (2000, 4). Amandus et al. (1995)'s review of 14 studies on CPTED and convenience store robberies contains only two experimental designs. Ten of these studies are cross-sectional, and thus unable to determine if the CPTED methods existed before the robbery took place. Their own study involved visiting stores 1-3 years *after* a robbery and assessing their CPTED factors at that later date. Hunter (1988) utilizes the same data as Amandus et al. (1995) and has similar results. Data on convenience store CPTED techniques in Virginia, which both Hendricks et al. (1999) and Faulkner, Landsittel, and Hendricks (2001) used for their studies, were collected only after that store reported a robbery. This lack of proper temporal ordering between procuring the security device and when the crime occurred makes determining the effect of target hardening devices, such as locks, on crime difficult.

This issue is exacerbated because while a crime victim would likely see security devices

as a worthwhile investment, non-victims may see it as unnecessary. Therefore, it may be more likely that a crime victim had a security device than a non-victim, leading to the inaccurate belief that security devices cause crime. Budd (1999) offers evidence in support of this. Her analysis of security device ownership for burglary victims showed a substantial increase in ownership after victimization. For both burglary and attempted burglary victims, door deadbolt ownership increased by around 30% and window lock ownership increased by over 20% (1999, 40). In the 2017-2018 Crime Survey for England and Wales, nearly half of respondents who made security improvements to their home in the previous year did so in response to increased crime, their own burglary victimization, or their neighbor's victimization (National Statistics 2019).

Research on repeat victimization has found that merely being the victim of a crime “increases risk of further victimization” (Ashton et al. 1998, 271). These victims are often repeatedly targeted because some characteristic makes them more vulnerable. In cases of burglary, these characteristics involve building location, poor security, and occupation (Weisel 2002, 2005). The impact of a first victimization is substantial, with burglary victims being up to four times as likely to suffer another burglary in the weeks following the first incident than homes never victimized (Pease 1991). Ashton et al. (1998) interviewed convicted burglars and found that one-third of these burglars had in fact returned to past targets and burglarized them again.

These studies provide insight into the mechanisms of how lacking proper time-order on building security devices can affect research. A victim that suffers multiple burglaries may be highly motivated to acquire protective devices, even more so than a victim with a single burglary. Failing to control for other factors that motivate offending, may cause these victims to appear to *increase* their risk of burglary by investing in protective devices. The burglars interviewed by Ashton et al. (1998) noted that the procurement of security devices was a major catalyst for stopping their repeat victimization.



Access control is ubiquitous, ranging from security guards at building entrances to turnstiles in subway systems (La Vigne 1997). Access control has also benefited from advances in technology which allows flexibility in who can enter a building and during which times. For example, the Cochran Homes, a public housing complex built in 1953 in St. Louis, Missouri, utilized card readers to control entrance to the building (William Brill Associates and America 1977). In lieu of guards, the Cochran Homes required residents to swipe an identification card for entrance to the lobby and access to the elevators.<sup>2</sup> In the half century since the Cochran Homes began using this access control technology, its adoption has been widespread, including on university campuses (Barberet and Fisher 2009; Fisher 1995; Fisher et al. 1997; Rasmussen and Johnson 2008).

## **2.2 The Current Study**

This paper examines the effect of card reader locks in building entrances on crime in buildings on an urban university campus. The university began utilizing card readers to limit access to certain buildings to only authorized students and staff. This paper analyzes how theft and total crime in buildings changed after that building received card readers compared to buildings that have yet to adopt them.

The university this study was conducted at is a private university located in the Northeast of the United States in a large, urban city. There are slightly over 20,000 students at the school with approximately half of the population being undergraduate and half being graduate students. While some buildings restrict access to only students and staff, primarily through security guards checking ID cards, the campus is freely accessible to the public. The card readers are activated by the school ID card already used by students, faculty, and staff and requires no additional equipment from the user. To access a building that has a card reader, users swipe their ID card through the reader and the building's doors unlock. Cards can be given selective access to certain buildings and only during certain times. For example, a person who is granted access to Building A can use their ID card to access that building, but

the card will not unlock doors in Building B.

The card reader buildings activated their access control at different times. This study uses a matched comparison design to assess the effect of the card readers. Each of the card reader buildings ( $N = 16$ ) was matched with two buildings based on similar location, size, visibility, and building type to enhance the quality of the comparison group. Building size involves both the number of floors and the square footage of the building. Comparison buildings are often on the same block as the treated building and are visible from the same location. If comparison buildings are not physically near their card reader match, they were chosen based on similar locations on campus. A card reader building on the peripheral of campus was matched with a comparison building likewise on the peripheral. Their similar visibility means that a criminal deciding which building to target would be aware of each building's presence. The building type is the main purpose of the building. A building with classrooms, for example, was matched with other classroom buildings. In this way both the building interior and its potential victims (e.g. students, administrative offices) are similar for both groups.

This study improves the research on access control in a number of ways. First, the use of a difference-in-differences design avoids the endogeneity problem that has limited prior research. A difference-in-differences design measures the effect of a treatment by comparing changes in the desired outcome over time in the treated group to a group similar to the one that was treated under the assumption that, but for the treatment, both groups would have parallel trends (Abadie 2005). This design ensures proper time-order and allows an evaluation of the lock's effect on crime. A benefit to this design is the two groups do not need identical crime counts, merely similar trends prior to treatment (Lechner 2011). Second, using theft rather than robbery or residential burglary offers a much larger sample of offenses than past research has used. Finally, whereas most previous studies assess access control on residential or commercial buildings, this study examines a university campus. University

campus buildings often have higher foot traffic than either residential or commercial buildings, a factor that may affect the impact of access control devices.

## **3 Data**

This study uses crime data from the university police for the period between June 2005 and November 2016. Each incident includes a record of which crime occurred, the date it happened, and in which building it occurred in. The university police also provided data on when card readers were installed in buildings. Non-card reader building security - guards and virtual concierge - data for each building also comes from the university police. Characteristics of the buildings come from the university's website.

### **3.1 Building Security**

The focus of this study is to examine whether card readers reduce crime. For this, data available from the university police tells which buildings have card readers, when implementation began, and other security measures the building may have.

In addition to card readers, buildings may have security through guards or a virtual concierge. Though the data indicates whether what type of additional security a building may have, it does not say when that security was implemented. Security guards are private security hired by the university. They may be posted at specific locations - generally near main entrances - or mobile through the building. However, buildings with security guards can still have unsecured entrances, particularly if there are fewer guards than perimeter doors.

A virtual concierge is a call box outside a building that people can use to gain access. Either a building administrator or a university police employee will answer the call and, using a security camera in the callbox to look at the person's identification card, verify that the person is allowed to enter the building and grant them access. This is a similar tool to card readers in limiting access to a building but is far more labor intensive.

## 3.2 Building Characteristics

The physical features of a building may have an effect on victimization. This study considers three measures of building characteristics when selecting comparison buildings: the number of perimeter doors, the number of floors, and the square footage of the building. A building with many doors may be seen as less secure, as some doors may be unguarded or infrequently used (Weisel 2002). Buildings with a large number of perimeter doors may weaken the impact of security guards. Larger buildings may also be more populated and allow criminals to blend in with the crowd. The literature on the effect of building size (generally measured through the number of floors) has been mixed between no effect (Newman and Franck 1982) and weak effects (Holzman, Kudrick, and Voytek 1996; Newman and Franck 1982). Greenberg and Rohe's (1984) study found that most burglaries occurred on the first floor, indicating that ease of access, rather than building size, is an important predictor of burglary targets.

Table 1 shows summary statistics of these building features and average monthly and total crime experienced for each group. Row 1 shows the characteristics for the card reader buildings, while row 2 shows the characteristics for the comparison group. Row 3 includes all other buildings on campus.

INSERT TABLE 1 ABOUT HERE

The card reader and comparison buildings are relatively similar in terms of crime and building characteristics. Card reader buildings often have greater security than the comparison group. The card reader and comparison groups have similar monthly crime rates prior to installation of card readers. The average building experiences fewer than 2 crimes per year. The card reader buildings experienced a combined 357 crimes during the period studied while the comparison group had 644 total crimes. Comparison buildings are larger than card reader buildings. They have about 1.5 more perimeter doors and are 15,000 square feet larger than card reader buildings, but these differences are within one standard deviation. Among security features, card reader buildings are more likely to have guards or virtual concierges.

This is most clear with virtual concierges, as card reader buildings are more than twice as likely to have them than the comparison group. This may be because buildings that are already concerned about security are more likely to request virtual concierges and card reader locks than other buildings.

Buildings with guards or virtual concierges are also more likely to have an entrance facing a major street. Studies on burglary targets found that buildings that are easier to quickly enter - those on the corner, on through streets, or near major streets - are more likely to be targeted (Cozens and Love 2009; Johnson and Bowers 2010; Weisel 2002). These types of buildings are easier for offenders to evaluate and then quickly enter and exit during the crime. Buildings with guards or virtual concierges are also more likely to contain well-funded departments (e.g. the business and law schools) that are able to pay for the security. However, average monthly crimes and security differences appear small and not statistically different.

The card readers are a supplement rather than a replacement to the other security. In most cases the card reader is only active during the night, so its effect is limited to only the night hours. Other building security, such as guards, are not replaced by the card readers but its presence may improve the guard's effectiveness. For example, a building with multiple doors and a single guard has many doors unguarded at any given time. With the addition of the card reader, all entrances are secured, and the guard can monitor the entry of persons through a single door of their choosing.

### **3.3 Crime**

The university police respond to crime on campus and in the immediate surrounding area. A majority of crimes occur outside of buildings, generally in the streets around the campus. This study only considers the crimes that occur within campus buildings. Theft is by far the most common crime in buildings, a finding consistent with past studies on crime on university campuses (Fisher 1995; Fisher et al. 1997; Fisher and Wilkes 2003; Fisher and

Sloan 2003). This category captures 90% of all crimes and contains offenses such as “theft from building” and “theft of a bicycle.” The other 10% of crimes are made up of 5% burglary, 2.5% assault, and 2.5% other crimes. This study examines theft and all reported crimes as the two outcomes.

Figure 1 shows the total number of total crimes for card reader and comparison buildings in the 10 months prior to and after the card readers were installed. Trends are similar before card readers were installed indicating that the comparison pairs were properly selected. The number of crimes each month was low; with both groups experiencing fewer than five total crimes in the majority of months. As crime is so uncommon in these buildings, a single building experiencing a higher than average month of crime can cause fluctuation in the number of crimes that group had in that month.

INSERT FIGURE 1 ABOUT HERE

Table 1 also provides context of the frequency of crimes occurring in buildings by showing the average monthly thefts in both card reader and comparison buildings before and after the card reader was activated. In both groups, the average number of monthly crimes decreased after card readers, reflecting a campus-wide trend of decreasing crime. Figure 2 shows this downward trend in crime by showing the aggregate monthly sum of crimes in campus buildings for the entire period studied. The trend over time is downward, indicating that the campus is getting safer.

INSERT FIGURE 2 ABOUT HERE

## 4 Methods

This study estimates the effect of card readers on crime by comparing the change in crime after the card readers are installed to similar buildings without card readers. Installing card readers was an ongoing process through the period studied and, as such, buildings

with card readers have the readers installed during different months. Each of the 16 card reader buildings were matched with two comparison buildings based on similar location, size, visibility, and type. To control for possible spillover to other buildings on campus, all other campus buildings are also included as a secondary comparison group.

The buildings which received card readers are predominantly those with large classrooms but include a small number of medical and research buildings. These buildings are often highly populated with students and openly accessible to the public with classrooms. In buildings with classrooms and faculty and graduate student offices, there exists a large number of potential victims and access for offenders. Installation of the card readers could reduce access to those buildings for potential offenders. While much of the past research has evaluated residential buildings, primarily single-family homes, no student dorms were included as a card reader or comparison building as all dorms had security guards on duty 24 hours per day to monitor people entering.

This study uses a Poisson regression model to estimate the effect of card readers on total crime and thefts in buildings according to the following form.

$$\log E(Y_{it}) = \beta_0 + \beta \text{CardReader}_{it} + \lambda \text{comparison}_{it} + \alpha_i + \zeta_t \quad (1)$$

where  $Y_{it}$  is the number of total crimes or thefts in building  $i$  and time  $t$  (year-month).  $\text{CardReader}$  is a dummy variable that takes the value of 1 for months when the card readers were active and 0 otherwise. The comparison takes a value of 1 when the building's treated pair has an active card reader and 0 otherwise. Buildings which are not part of a treated building's comparison pair will have a value of 0 for all months and serve as a reference group. Parameters  $\beta$  and  $\lambda$  estimate the effect of card readers and comparison buildings relative to each other and all other campus buildings. In Equation (1),  $\alpha_i$  is the building fixed effect ( $N = 122$ ), and  $\zeta_t$  is the year-month ( $N = 138$ ) fixed effect. Building fixed effects are used to

control for differences between buildings that are time stable while year-month fixed effects control for crime trends across the campus that are common to all buildings. Standard errors are clustered at the building level.

## 5 Results

Table 2 shows the effect of card readers on total crime and theft. Column (1) estimates the effect of the card readers without including year-month fixed effects while column (2) includes them. The regression coefficients are exponentiated to show the incident rate-ratio (IRR) or the relative rate of change in the number of outcome variables for every one unit increase in the predictor variable. The effect of card readers is statistically significant for total crime and marginally significant for theft ( $p < 0.1$ ) when conditioning solely on building fixed effects. Both total crime and theft are estimated to have declined by about a third, with total crime decreasing by 28% and theft decreasing by 33%. However, this effect disappears upon the introduction of year-month fixed effects. This indicates that the effect of card readers in column (1) is an artifact of the campus getting safer in general.

When predicting total crime, the IRR in column (2), row 1, is 0.93 (95% CI: .65, 1.35), showing that buildings with card readers have about seven percent fewer crimes per month after card readers relative to all other campus buildings. Theft has an IRR of 1.01 (95% CI: .70, 1.45) or a 1% increase in the number of thefts. However, for both categories these differences are not statistically significant from no difference. The standards errors for both these categories are quite large, making the results imprecise. The results also show no significant change in comparison buildings.

INSERT TABLE 2 ABOUT HERE



## 6 Discussion

Using administrative crime data from the university police department, this study found that card readers do not reduce crimes in buildings relative to comparison buildings or the campus-wide decline in crime in all buildings. The null effect may be due to the low baseline of crime in campus buildings. On average, each building reports under two crimes per year. One element of the low and declining crime rate may be the security system already in place across campus. The vast majority of campus buildings have some form of security, generally security guards or traditional key locks after hours. Card readers, therefore, are an incremental increase to an already robust security system. These findings, however, are limited to crimes within campus buildings on the campus studied. The increase in security through card readers may have driven some offenders off-campus towards easier targets or to nearby universities.

The additional security to the exterior of buildings may also inadvertently increase crime if inhabitants respond to the additional security by taking fewer precautions inside the building. If the new locks on the outside of the building make professors, for example, less likely to lock their offices, offenders who do gain access may have easier access to targets inside the building, negating the crime-reducing goal of the locks. A survey asking people who regularly use buildings which receive the locks if they changed their security precautions because of the locks could ascertain whether this possibility has occurred.

Card reader locks are designed to reduce unauthorized access to buildings and reduce crime by keeping potential offenders out of the buildings. However, for offenders who are granted access, such as students who also commit crime, the card reader locks would not prevent these crimes. For crimes in which an offender was arrested, the data used for this study does not indicate whether they were permitted in the building where the crime occurred. As the locks are designed only to prevent crime among those not allowed in the building, this limits the internal validity of the study as it includes crime that are not affected by the

locks. Future studies should use data that includes information on whether the offender is a person who would be prevented from accessing the building if it had a card reader lock. This is likely to be an issue in all studies on this topic as the vast majority of property crimes do not end in an arrest, rendering even data which does identify the offender to be largely incomplete. In 2017, approximately 86% of burglaries and 80% of thefts did not result in an arrest (United States Department of Justice 2018).

In certain campus buildings, the card reader locks are only activated at night and permit public access during the day. While the crime data does include the time the crime was reported, there are significant issues in the measure of the time of property crime. During household burglaries, approximately one-third of victims who were not present during the crime did not know when the crime occurred (Catalano 2010). According to the National Crime Victimization Survey, the majority of property crimes occur between 6PM and 6AM or the victim does not know when it occurred (Rand and Robinson 2011). As many campus buildings are unoccupied during the weekend and at night, this number is likely higher on university campuses, severely limiting the accuracy of the data.

The usage of official police crime data rather than victim reports may also be a factor in the low crime rate. Using official police data under counts the number of thefts. Crime that goes unreported cannot be analyzed. It is likely, however, that the more severe the theft (i.e. the costlier the financial loss), the more likely the victim is to report. A 2008 report by the Bureau of Justice Statistics using National Crime Victimization Data found that the amount lost in a theft is strongly related to the likelihood of the police being notified (Rand and Robinson 2011). Theft with a loss of under \$50 are reported to police less than 20% of the time while more than half of thefts costing the victim \$250 or more are reported. Therefore, this study may better evaluate the effect on serious crime than on more minor crime.

Most research on access control focuses on serious crimes such as burglary and robbery.

As these crimes are relatively rare, the number of crimes included in the studies is often low. This study reduces this problem by using theft, a far more common crime, as its primary crime of analysis. This study does evaluate serious crimes - primarily assault and burglary - as part of the total crimes category. However, the number of these crimes is too low to evaluate separately from theft. Future research should use schools with a higher crime rate or combine a number of schools until the count of serious crimes is acceptable for analysis.

This study evaluated the effect of card reader locks installed on a relatively small number of campus buildings ( $N = 16$ ). Future studies could increase the number of buildings with the new locks by working with a university to randomize which buildings - and for a greater number of buildings - are given the locks. If randomization is not feasible, data from multiple universities could be combined to generate a dataset with a larger number of buildings with these new locks installed than from any individual university.

Figure 3 offers guidance on which universities and colleges are good targets for study. This graph shows the 452 public or private 2- and 4-year universities with between 10,000 and 30,000 students that have reported crime data to the Department of Education during 2016. In particular, this graph shows the difference in the rate of burglaries per student across these schools. While the data does not have the numbers of thefts, burglary is a good proxy for the types of crimes that card readers can impact. The university studied here represents a typical case, with only slightly more burglaries (9 during 2016) than the average school (mean = 7.14). The relatively low numbers of burglaries across campuses lends support that this study may be generalizable across many schools. It also limits the number of viable schools for study as many schools have fewer burglaries than the one studied. Only 12 schools reported 40 or more burglaries during 2016. These schools, in particular the ones with ample resources to devote on increasing security such as Harvard (70 burglaries) and Stanford (54 burglaries), may be excellent locations to further this research.

INSERT FIGURE 3 ABOUT HERE

This study differs from previous studies of access control as it was conducted on a university campus - a location where student safety, fear, and ability to learn are often prioritized above material loss. This study directly evaluates student safety through the limited number of non-theft crimes in the total crime category. However, it does not evaluate student fear of victimization. A reduction in theft may, in fact, have no impact on fear. If students are unaware of the ongoing crimes, or consider them insufficiently threatening, a reduction in crime may not reduce fear of it.

McCreedy and Dennis (1996) surveyed 760 college students about their own victimization, fear of crime, and willingness to take night classes. They found that victims of sexual offenses or stalking, and those who received a “lewd or threatening phone call” are less likely to attend night classes than non-victims (1996, 76). This indicates that crime victims change their behaviors as a result of being victimized, potentially to their educational detriment. The reduction in attendance on campus at night can be tested. If card readers lead to a safer campus, enrollment in night classes could increase if students feel safer going into buildings during the evening. While victims of traumatic crimes are unlikely to change their behavior simply due to improved locks, it could alter the behavior of students who have not been the victim of a crime but nonetheless feel unsafe in campus buildings at night. Future studies on access control, particularly ones in educational settings, should focus on potential softer effects alongside crime reduction. Ensuring that students feel safe may be reason enough to utilize card readers.

There remains a number of questions about card readers that are unanswered by the present study. The ubiquity of card readers, and similar technology-based locks, and the dearth of research on them make this a ripe field for study. These tools are used with growing popularity; to provide users with information regarding their effectiveness on a variety of crime- and non-crime-related issues, more research is needed.

## Notes

<sup>1</sup>Smart locks may be more helpful than traditional locks in clearing cases as they can tell authorities who entered the building around the time of the crime, providing authorities with a list of both potential suspects and witnesses. However, such outcomes are beyond the scope of this study and are not discussed further.

<sup>2</sup>This strategy was meant to balance the need to prevent unauthorized non-residents from entering the building with a desire to ensure that their home's entrance "did not suggest a prison" (William Brill Associates and America 1977, 18). The conflict between reducing crime and avoiding the creation of a "fortress society" is a recurrent theme in CPTED research(Welsh and Farrington 2009, 7)

- Abadie, Alberto. 2005. "Semiparametric Difference-in-Differences Estimators." *The Review of Economic Studies* 72 (1): 1–19.
- Amandus, Harlan E, RD Hunter, E James, and S Hendricks. 1995. "Reevaluation of the Effectiveness of Environmental Designs to Reduce Robbery Risk in Florida Convenience Stores." *Journal of Occupational and Environmental Medicine* 37 (6): 711–17.
- Armitage, Rachel. 2018. "Burglars' Take on Crime Prevention Through Environmental Design (CPTED): Reconsidering the Relevance from an Offender Perspective." *Security Journal* 31 (1): 285–304.
- Ashton, Julie, Imogen Brown, Barbara Senior, and Ken Pease. 1998. "Repeat Victimization: Offenders Accounts."
- Barberet, Rosemary, and Bonnie S Fisher. 2009. "Can Security Beget Insecurity? Security and Crime Prevention Awareness and Fear of Burglary Among University Students in the East Midlands." *Security Journal* 22 (1): 3–23.
- Branas, Charles C, Rose A Cheney, John M MacDonald, Vicky W Tam, Tara D Jackson, and Thomas R Ten Have. 2011. "A Difference-in-Differences Analysis of Health, Safety, and Greening Vacant Urban Space." *American Journal of Epidemiology* 174 (11): 1296–1306.
- Budd, Tracey. 1999. "Burglary of Domestic Dwellings: Findings from the British Crime Survey."
- Carmel-Gilfilen, Candy. 2011. "Advancing Retail Security Design: Uncovering Shoplifter Perceptions of the Physical Environment." *Journal of Interior Design* 36 (2): 21–38.
- Casteel, Carri, and Corinne Peek-Asa. 2000. "Effectiveness of Crime Prevention Through Environmental Design (CPTED) in Reducing Robberies." *American Journal of Preventive Medicine* 18 (4): 99–115.
- Catalano, Shannan M. 2010. *Victimization During Household Burglary*. US Department of Justice, Office of Justice Programs, Bureau of Justice Statistics.
- Cozens, Paul, and Terence Love. 2009. "Manipulating Permeability as a Process for Controlling Crime: Balancing Security and Sustainability in Local Contexts." *Built Environment* 35 (3): 346–65.
- . 2015. "A Review and Current Status of Crime Prevention Through Environmental Design (CPTED)." *Journal of Planning Literature* 30 (4): 393–412.
- Cozens, Paul, Terence Love, and Brent Davern. 2019. "Geographical Juxtaposition: A New Direction in CPTED." *Social Sciences* 8 (9): 252.
- Cozens, Paul Michael, Greg Saville, and David Hillier. 2005. "Crime Prevention Through Environmental Design (CPTED): A Review and Modern Bibliography." *Property Management* 23 (5): 328–56.
- Crowe, TD, and DL Zahm. 1994. "Crime Prevention Through Environmental Design: NAHB Land Development Magazine." *National Association of Home Builders*.

- Dijk, J van, J van Kesteren, and Paul Smit. 2007. *Criminal Victimization in International Perspective*. Boom Juridische Uitgevers.
- Faulkner, Kimberly A, Douglas P Landsittel, and Scott A Hendricks. 2001. "Robbery Characteristics and Employee Injuries in Convenience Stores." *American Journal of Industrial Medicine* 40 (6): 703–9.
- Fisher, Bonnie S. 1995. "Crime and Fear on Campus." *The Annals of the American Academy of Political and Social Science* 539 (1): 85–101.
- Fisher, Bonnie S, and John J Sloan. 2003. "Unraveling the Fear of Victimization Among College Women: Is the "Shadow of Sexual Assault Hypothesis" Supported?" *Justice Quarterly* 20 (3): 633–59.
- Fisher, Bonnie S, John J Sloan, Francis T Cullen, and Chunmeng Lu. 1997. "The on-Campus Victimization Patterns of Students: Implications for Crime Prevention by Students and Post-Secondary Institutions." *Crime Prevention at a Crossroads*, 101–23.
- Fisher, Bonnie S, and Andrew RP Wilkes. 2003. "A Tale of Two Ivory Towers. A Comparative Analysis of Victimization Rates and Risks Between University Students in the United States and England." *British Journal of Criminology* 43 (3): 526–45.
- Greenberg, Stephanie W, and William M Rohe. 1984. "Neighborhood Design and Crime: A Test of Two Perspectives." *Journal of the American Planning Association* 50 (1): 48–61.
- Hendricks, Scott, Douglas Landsittel, Harlan Amandus, Jay Malcan, and Jennifer Bell. 1999. "A Matched Case-Control Study of Convenience Store Robbery Risk Factors." *Journal of Occupational and Environmental Medicine* 41 (11): 995–1004.
- Ho, Grant, Derek Leung, Pratyush Mishra, Ashkan Hosseini, Dawn Song, and David Wagner. 2016. "Smart Locks: Lessons for Securing Commodity Internet of Things Devices." In *Proceedings of the 11th Acm on Asia Conference on Computer and Communications Security*, 461–72. ACM.
- Holzman, Harold R, Tarl Roger Kudrick, and Kenneth P Voytek. 1996. "Revisiting the Relationship Between Crime and Architectural Design: An Analysis of HUD's 1994 Survey of Public Housing Residents." In *Journal of Policy Development and Research*. Citeseer.
- Hunter, Ronald David. 1988. "The Relationships of Selected Environmental Characteristics to the Incidence of Convenience Store Robbery Within the State of Florida." PhD thesis, Florida State University.
- Johnson, Shane D, and Kate J Bowers. 2010. "Permeability and Burglary Risk: Are Cul-de-Sacs Safer?" *Journal of Quantitative Criminology* 26 (1): 89–111.
- La Vigne, Nancy Gladys. 1997. *Visibility and Vigilance: Metro's Situational Approach to Preventing Subway Crime*. US Department of Justice, Office of Justice Programs, National Institute of Justice Washington, DC.
- Lechner, Michael. 2011. "The Estimation of Causal Effects by Difference-in-Difference Methods." *Foundations and Trends in Econometrics* 4 (3): 165–224.

- McCreedy, Kenneth R, and Brent G Dennis. 1996. "Sex-Related Offenses and Fear of Crime on Campus." *Journal of Contemporary Criminal Justice* 12 (1): 69–80.
- Minnery, John R, and Bill Lim. 2005. "Measuring Crime Prevention Through Environmental Design." *Journal of Architectural and Planning Research*, 330–41.
- National Statistics, Office for. 2019. "Crime Survey for England and Wales 2017-2018." Available at [Http://Doi.org/10.5255/UKDA-SN-8464-1](http://doi.org/10.5255/UKDA-SN-8464-1).
- Newman, Oscar, and Karen A Franck. 1982. "The Effects of Building Size on Personal Crime and Fear of Crime." *Population and Environment* 5 (4): 203–20.
- Pease, Ken. 1991. "The Kirkholt Project: Preventing Burglary on a British Public Housing Estate." *Security Journal* 2 (2): 73–77.
- Poyner, Barry. 1983. *Design Against Crime: Beyond Defensible Space*. Butterworths London.
- Rand, Michael R, and Jayne E Robinson. 2011. "Criminal Victimization in the United States, 2008-Statistical Tables." *US Department of Justice*.
- Rasmussen, Chris, and Gina Johnson. 2008. "The Ripple Effect of Virginia Tech: Assessing the Nationwide Impact on Campus Safety and Security Policy and Practice." *Midwestern Higher Education Compact*.
- Tseloni, Andromachi, Karin Wittebrood, Graham Farrell, and Ken Pease. 2004. "Burglary Victimization in England and Wales, the United States and the Netherlands a Cross-National Comparative Test of Routine Activities and Lifestyle Theories." *British Journal of Criminology* 44 (1): 66–91.
- United States Department of Justice, Federal Bureau of Investigation. 2018. "Crime in the United States, 2017." Available at [SSRN 2752629](https://ssrn.com/abstract=2752629).
- Vollaard, Ben, and Jan C Van Ours. 2011. "Does Regulation of Built-in Security Reduce Crime? Evidence from a Natural Experiment." *The Economic Journal* 121 (552): 485–504.
- Walsh, E. 1999. "Crime Prevention Through Environmental Design: Explores the Use of Structure as a Means of Discouraging Criminal Activity." *Journal of Housing and Community Development* 56: 42–44.
- Weisel, Deborah Lamm. 2002. *Burglary of Single-Family Houses*. US Department of Justice, Office of Community Oriented Policing Services Washington, DC.
- . 2005. *Analyzing Repeat Victimization*. US Department of Justice, Office of Community Oriented Policing Services Washington, DC.
- Welsh, Brandon C, and David P Farrington. 2009. *Making Public Places Safer: Surveillance and Crime Prevention*. Oxford University Press.
- William Brill Associates, Inc, and United States of America. 1977. "Controlling Access in Highrise Buildings - Approaches and Guidelines."
- Wilson, James Q, and George L Kelling. 1982. "The Police and Neighborhood Safety: Broken Windows." *Atlantic Monthly* 127 (2).



Table 1: Design and security features for card reader, comparison, and other campus buildings. Values shown are the mean and (standard deviation).

	Perimeter Doors	Floors	Square Feet (in 1,000s of feet)	Guard/ Virtual Concierge	Monthly Crimes Before Card Readers	Monthly Crimes After Card Readers
Card Reader (N = 16)	7.25 (4.09)	5.77 (2.18)	89.81 (56.42)	0.75 (0.45)	0.17 (0.46), Total: 283	0.15 (0.46), Total: 74
Comparison (N = 32)	8.73 (6.26)	5.68 (2.35)	105.57 (90.34)	0.34 (0.48)	0.14 (0.43), Total: 505	0.13 (0.41), Total: 139
Other Campus Buildings (N = 74)	8 (9.77)	5.81 (5.22)	140.36 (138.19)	0.45 (0.5)		

Table 2: Effect of building security on crime in campus buildings.

<b>Variable</b>	<b>(1)</b>	<b>(2)</b>
<b>Total Crime</b>		
Card Reader	0.72* (0.12)	0.93 (0.18)
Comparison	0.67** (0.10)	0.85 (0.15)
Year-Month Fixed Effects	No	Yes
Building Fixed Effects	Yes	Yes
<b>Theft</b>		
Card Reader	0.74 (0.11)	1.01 (0.19)
Comparison	0.68** (0.10)	0.89 (0.15)
Year-Month Fixed Effects	No	Yes
Building Fixed Effects	Yes	Yes

Each cell shows exponentiated regression coefficients, robust standard errors are in parentheses.

\*  $p < 0.05$

\*\*  $p < 0.01$




Figure 1: Crime trends for card reader (12 buildings) and non-card reader buildings (24 buildings) 10 months (adjusted for the installation time of each treated building’s card reader) prior to and after card readers. Four buildings (and their comparison matches) are excluded from this graph because they did not have ten months of post period.




Figure 2: Total monthly crimes in campus buildings throughout the period studied.




Figure 3: Burglaries in Public and Private University Campus Buildings - 2016 (N = 452 Universities).